KREATE+®

designed by technology

HERRINGBONE

INHERENT CIGARETTE & MATCH

Crib5 COMPLIANT

Map links



HERRINGBONE
A6E329



HERRINGBONE
A6B1EZ



HERRINGBONE
A6B1D6



HERRINGBONE
A6J568



HERRINGBONE
A6DMJ5



HERRINGBONE
A6CMJ5



HERRINGBONE
A6T3KC-1



HERRINGBONE
A6T3CM



HERRINGBONE
A6T3KC-2


designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	ROLF-S	Design Name	HERRINGBONE		
End-Use	CONTRACT - INHERENT FR	Width (±2cm)	133 cm (52")	Weight	487 gr/mt²
Composition	%38 FR WO %4 CO %38 PES %16 FR PA %4 MAC	Specials			

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	> 100000	
Wyzenbeek	ASTM D4157		
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4	
Brush Pilling	D3511-99A	3/4	
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	2.7	2
Tear Strength	EN ISO 13937-3	132	180
Tensile Strength	EN ISO 13934-1	1409	1380
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Match Testi	BS 5852 PART 1 SOURCE 1	PASS
Crib 5	BS 5852 PART 2 SOURCE 5	PASS
Cigarette Test	EN 1021-1	PASS
Match Testi	EN 1021-2	PASS
Cigarette-Match Test	IMO PART 8	PASS
Cigarette-Match Test	BS 7176 LOW HAZARD	PASS
Cigarette-Match Crib 5 Test	BS 7176 MEDIUM HAZARD	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry cleanable		

OEKO TEX® STANDARD 100 2106125 Centexbel · Global Recycled Standard Certified by USB Cert. USB TEX2701 · EU Ecolabel · AS 9100 · MED MODULE D

ISO 9001:2015 · ISO 14001:2015 · ISO 45001:2018 · ISO 50001:2018 · Sedex