



BT.RC.MONA

Recycled Polyester (Knitted)

createplus.com



designed by technology

OUR STORY

KREATE+ IS A TEXTILE-
DESIGN AND TECHNOLOGY
COMPANY THAT
IS PASSIONATELY
FOCUSED ON CREATING
CUSTOMISED, HIGH
QUALITY AND INNOVATIVE
TEXTILE SOLUTIONS FOR
A SUSTAINABLE FUTURE
THAT ADD EXCEPTIONAL
VALUE TO YOUR BUSINESS



MONA_00A2




MONA_00AC



MONA_00B3



MONA_00B7



MONA_00BM



MONA_00C2



MONA_00E6




MONA_00FP




MONA_00G1



MONA_00G7



MONA_00GV



MONA_00H4



MONA_00H6



MONA_00J3




MONA_00J4



MONA_00K2



MONA_00K7




MONA_00L8




MONA_00M7



MONA_00N7



MONA_00P1



MONA_00R7



MONA_00T6



MONA_00U5



MONA_00V4



MONA_00Y8



MONA_00Z1



MONA_0003



MONA_0015



MONA_0020




MONA_0024




MONA_0025



MONA_0032



MONA_0062



MONA_0074



MONA_0076



MONA_0079



MONA_0088



MONA-0084

GENERAL FABRIC INFORMATION					
Quality Name	BT.RC.MONA	Design Name	BT.RC.MONA		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	144 cm (57")	Weight	520 gr/mt ²
Composition	%59 RPET %41 PES	Specials			

PHYSICAL TESTS				
Test	Standarts		Results	
Abrasion End	EN ISO 12947-2		100000	
Wyzenbeek	ASTM D4157			
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2		4/5	
Brush Pilling	D3511-99A			
Test	Standarts		Warp	Weft
Seam Slippage	EN ISO 13936-2		2.5	2.5
Tear Strength	EN ISO 13937-3		40	40
Tensile Strength	EN ISO 13934-1		750	800
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)		4/5	4/5

FLAMMABILITY TESTS			
Test	Standarts	Results	
Annex 6 Horizontal Burning	ECE R.118 03	PASS	
Annex 7 Melting	ECE R.118 03	PASS	
Annex 8 Vertical Burning	ECE R.118 03	PASS	

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Bleach Cleanable Test	AATCC 101-ACT TM1 With Extra Process	PASS

CARE CODES			
Washable	Do not wash	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

