




FO-00A2



FO-00AA




FO-00AC




FO-00BT




FO-00CF



FO-00D7




FO-00EU



FO-00FP



FO-00GD



FO-00GE



FO-00L4




FO-00N2



FO-00N4




FO-00N9



FO-00Q6



FO-00R2




FO-00R9



FO-00T7



FO-00U5



FO-00W2


ACOUSTIC
FABRIC




BASIC
FORRES



FO-00Y5




FO-0008




FO-0012




FO-0013



FO-0015



FO-0020



FO-0021




FO-0040



FO-0045




FO-0048



FO-0074



FO-0082



FO-0095



BASIC FORRES

GENERAL FABRIC INFORMATION					
Quality Name	SC.FORRES	Design Name	FORRES		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	140 cm (55")	Weight	320 gr/m ²
Composition	%100 PES	Specials			
PHYSICAL TESTS					
Test		Standarts		Results	
Abrasion End		EN ISO 12947-2		50000	
Wyzenbeek		ASTM D4157			
Martindale-Pilling 2,000 Cycle		EN ISO 12945-2		4/5	
Brush Pilling		D3511-99A			
Test		Standarts		Warp	Weft
Seam Slippage		EN ISO 13936-2		2.5	2.5
Tear Strength		EN ISO 13937-3		80	50
Tensile Strength		EN ISO 13934-1		810	500
Colour Fastness Rubbing		EN ISO 105-X12(Dry/Wet)		4/5	4/5
Colour Fastness Light		EN ISO 105-B04			
FLAMMABILITY TESTS					
Test		Standarts		Results	
Cigarette Test		BS 5852 PART 1 SOURCE 0		PASS	
Cigarette Test		EN 1021-1		PASS	
Cigarette Test		CALL 117		PASS	
Cigarette Test		NFPA 260		PASS	

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Bleach Cleanable Test	AATCC 101-ACT TM1 With Extra Process	PASS

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		

Our products fulfil the requirements of Annex XVII of REACH (incl. the use of azo-dyes, heavy metals, etc.) as well as the American requirement regarding total content of lead in children's articles)
 In stain repellent products, we always use human and environmental friendly C6 fluorocarbons. In FR treatment, we always use DecaBDE free FR compounds.
 The colours in production might slightly vary from this reference due to different lots in production.



SUSTAINABLE TEXTILES