KREATE+®
designed by technology

CATRIN 05

Map links

Easy Life®
EASY STAIN RELEASE TECHNOLOGY

CIGARETTE & MATCH

Global Recycled Standard

RECYCLED PRODUCTS

ACOUSTIC FABRICS FOR COMMERCIAL INTERIORS



CA5-B346-S



CA5-91A6-S



CA5-E3T8-S




CA5-T8B1-S



CA5-E3C9-S



CA5-B3X3-S



CA5-B324-S



CA5-W5H2-S



CA5-W568-S



CA5-W5FV-S



CA5-94J1-S



CA5-9450-S



CA5-X4T2-S


designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	STANDARD-C	Design Name	CATRIN 05		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	139 cm (55")	Weight	429 gr/mt²
Composition	%100 ROLEFIN	Specials	EASY LIFE		

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	75000	
Wyzenbeek	ASTM D4157	50000	
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4	
Brush Pilling	D3511-99A	3	
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	1	1.3
Tear Strength	EN ISO 13937-3	115	105
Tensile Strength	EN ISO 13934-1	1525	797
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Match Testi	BS 5852 PART 1 SOURCE 1	PASS
Cigarette Test	EN 1021-1	PASS
Match Testi	EN 1021-2	PASS
Cigarette-Match Test	IMO PART 8	PASS
Cigarette-Match Test	BS 7176 LOW HAZARD	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Bleach Cleanable Test	ACT TM1.2020 PART 1	PASS

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Bleach can be used		
Dry clean P	Dry cleanable		

OEKO-TEX® STANDARD 100 · ISO 14001:2015 · AS 9100 · ISO 9001:2015 · MED MODULE D · Global Recycled Standard · VEGETARIAN

OEKO TEX® STANDARD 100 2106125 Centexbel · Global Recycled Standard Certified by USB Cert. USB TEX2701 · EU Ecolabel · AS 9100 · MED MODULE D

ISO 9001:2015 · ISO 14001:2015 · ISO 45001:2018 · ISO 50001:2018 · Sedex