KREATE+®

designed by technology

FORRES

Easy Life®

EASY STAIN RELEASE TECHNOLOGY

Crib5

COMPLIANT

ACOUSTIC FABRICS FOR COMMERCIAL INTERIORS

Map links



FO-00Q6-SP



FO-00A2-SP



FO-00GD-SP



FO-00N4-SP



FO-00Q6-SP



FO-00AC-SP



FO-0082-SP



FO-00CF-SP



FO-0040-SP



FO-00U5-SP



FO-00EU-SP



FO-00Y5-SP



FO-00GE-SP



FO-0D7-SP



FO-00T7-SP



FO-0013-SP



FO-0008-SP



FO-00W2-SP



FO-00L4-SP



FO-0048-SP



FO-00AA-SP


designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	STANDARD PLUS-A	Design Name	FORRES		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	140 cm (55")	Weight	460 gr/mt²
Composition	%100 PES	Specials	EASY LIFE		

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	50000	
Wyzenbeek	ASTM D4157	60000	
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4/5	
Brush Pilling	D3511-99A		
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	2.7	2.8
Tear Strength	EN ISO 13937-3	55	45
Tensile Strength	EN ISO 13934-1	700	430
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Match Testi	BS 5852 PART 1 SOURCE 1	PASS
Crib 5	BS 5852 PART 2 SOURCE 5	PASS
Cigarette Test	EN 1021-1	PASS
Match Testi	EN 1021-2	PASS
Cigarette-Match Test	IMO PART 8	PASS
Cigarette-Match Test	BS 7176 LOW HAZARD	PASS
Cigarette-Match Crib 5 Test	BS 7176 MEDIUM HAZARD	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Liquid Repellency	AATCC 193	4
Oil Repellency	AATCC 118	2

CARE CODES			
Washable	Cold washing not exceeding 30°C	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Do not dry clean		

OEKO TEX® STANDARD 100 2106125 Centexbel
Global Recycled Standard Certified by USB Cert. USB TEX2701
EU Ecolabel
AS 9100
MED MODULE D
ISO 9001:2015 ISO 14001:2015 ISO 45001:2018 ISO 50001:2018
Sedex