
KREATE®

designed by technology


LODOS 04




LD4-0024




LD4-0074




LD4-0016




LD4-0038




LD4-00T1




LD4-0076




LD4-0008



LD4-00W6



LD4-00H9



LD4-0094

designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	SPACER 04	Design Name	LODOS 04		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	160 cm (63")	Weight	380 gr/mt²
Composition	%100 PES	Specials			

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	55000	
Wyzenbeek	ASTM D4157		
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4/5	
Brush Pilling	D3511-99A		
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	1	2
Tear Strength	EN ISO 13937-3	43	37
Tensile Strength	EN ISO 13934-1	287	375
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	5	5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Cigarette Test	EN 1021-1	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS
Annex 6 Horizontal Burning	ECE R.118 03	PASS
Annex 7 Drip	ECE R.118 03	PASS
Annex 8 Vertical Combustion	ECE R.118 03	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 · ISO 14001:2015 · AS 9100 · ISO 9001:2015 · MED-MODULE D · Global Recycled Standard · VEGETARIAN

OEKO TEX® STANDARD 100 2106125 Centexbel · Global Recycled Standard Certified by USB Cert. USB TEX2701 · EU Ecolabel · AS 9100 · MED MODULE D

ISO 9001:2015 · ISO 14001:2015 · ISO 45001:2018 · ISO 50001:2018 · Sedex