KREATE+®

designed by technology

RAINBOW

INHERENT CIGARETTE & MATCH

Crib5 COMPLIANT

Map links



RAINBOW
74DG



RAINBOW
BY19



RAINBOW
26B8



RAINBOW
E6G4



RAINBOW
E6W2



RAINBOW
V4L4



RAINBOW
26U4



RAINBOW
2669-1



RAINBOW
2601



RAINBOW
V493



RAINBOW
E6AG



RAINBOW
E6Z3


designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	ETNA-C9	Design Name	RAINBOW		
End-Use	CONTRACT - INHERENT FR	Width (±2cm)	144 cm (57")	Weight	384 gr/mt²
Composition	%92 RPET FR %8 FR PES	Specials			

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	> 80000	
Wyzenbeek	ASTM D4157	> 100000	
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	5	
Brush Pilling	D3511-99A	5	
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	3.2	3.5
Tear Strength	EN ISO 13937-3	76	265
Tensile Strength	EN ISO 13934-1	1104	1066
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Match Testi	BS 5852 PART 1 SOURCE 1	PASS
Crib 5	BS 5852 PART 2 SOURCE 5	PASS
Cigarette Test	EN 1021-1	PASS
Match Testi	EN 1021-2	PASS
Cigarette-Match Test	IMO PART 8	PASS
Cigarette-Match Test	BS 7176 LOW HAZARD	PASS
Cigarette-Match Crib 5 Test	BS 7176 MEDIUM HAZARD	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS
M Testi	NF P 92 5XX (M1)	M1

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Bleach Cleanable Test	AATCC 101-ACT TM1 With Extra Process	PASS

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		

9001:2015 14001:2015 45001:2018 50001:2018