
KREATE®

designed by technology

TONDA

Map links



TONDA
0093



TONDA
0074



TONDA
00Q7



TONDA
00A6



TONDA
00R1



TONDA
0021



TONDA
0020



TONDA
0042



TONDA
0082



TONDA
00W2



TONDA
00N9



TONDA
00T5



TONDA
00L4



TONDA
00C1



TONDA
00R2



TONDA
0001



TONDA
0045



TONDA
0051



TONDA
0040



TONDA
00R9



TONDA
00CF



TONDA
00EU



TONDA
00S6



TONDA
00BM



TONDA
0093



TONDA
00AG



TONDA
00F4



TONDA
00R6



TONDA
0008



TONDA
0005



TONDA
0013



TONDA
00T1



TONDA
0095

designed by technology

GENERAL FABRIC INFORMATION					
Quality Name	SC.TONDA	Design Name	TONDA		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	140 cm (55")	Weight	330 gr/mt²
Composition	%100 PES	Specials			

PHYSICAL TESTS			
Test	**Standarts**	**Results**	
Abrasion End	EN ISO 12947-2	45000	
Wyzenbeek	ASTM D4157	60000	
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4/5	
Brush Pilling	D3511-99A	4/5	
Test	**Standarts**	**Warp**	**Weft**
Seam Slippage	EN ISO 13936-2	2.8	2
Tear Strength	EN ISO 13937-3	52	104
Tensile Strength	EN ISO 13934-1	707	1000
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	**Standarts**	**Results**
Cigarette Test	BS 5852 Part 1 Source 0	PASS
Cigarette Test	EN 1021-1	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	**Standarts**	**Results**

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		

OEKO TEX® STANDARD 100 2106125 Centexbel · Global Recycled Standard Certified by USB Cert. USB TEX2701 · EU Ecolabel · AS 9100 · MED MODULE D

ISO 9001:2015 · ISO 14001:2015 · ISO 45001:2018 · ISO 50001:2018 · Sedex