BS.MOVE

Polyester Flatweave (Chenille)

kreateplus.com

KREATE+

designed by technology

OUR STORY

KREATE+ IS A TEXTILE-DESIGN AND TECHNOLOGY COMPANY THAT IS PASSIONATELY FOCUSED ON CREATING CUSTOMISED, HIGH QUALITY AND INNOVATIVE TEXTILE SOLUTIONS FOR A SUSTAINABLE FUTURE THAT ADD EXCEPTIONAL VALUE TO YOUR BUSINESS

/kreateplus

BS.MOVE



BS MOVE-01_24B3C2



BS MOVE-01_24B329



BS MOVE-01_24E2D1



BS MOVE-01_24E227



BS MOVE-01_24F727



BS MOVE-01_24N2T1



BS MOVE-01_24N8T1



BS MOVE-01_24N827



BS MOVE-01_24N829



BS MOVE-01_24N867

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-01_24Q6C2



BS MOVE-01_2432D1



BS MOVE-01_2448D1



BS MOVE-01_2448T1



BS MOVE-01_243227



BS MOVE-01_244827




BS MOVE-02_24B3C2



BS MOVE-02_24B329




BS MOVE-02_24E2D1




BS MOVE-02_24E227

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-02_24F727



BS MOVE-02_24N2T1



BS MOVE-02_24N8T1




BS MOVE-02_24N827



BS MOVE-02_24N829



BS MOVE-02_24N867



BS MOVE-02_24Q6C2



BS MOVE-02_2432D1




BS MOVE-02_2448D1




BS MOVE-02_2448T1

All our designs are registered and protected against unauthorized copying.


BS.MOVE



BS MOVE-02_243227



BS MOVE-02_244827




BS MOVE-03_24B3C2




BS MOVE-03_24B329



BS MOVE-03_24E2D1



BS MOVE-03_24E227



BS MOVE-03_24F727



BS MOVE-03_24N2T1



BS MOVE-03_24N8T1



BS MOVE-03_24N827

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-03_24N829




BS MOVE-03_24N867



BS MOVE-03_24Q6C2



BS MOVE-03_2432D1



BS MOVE-03_2448D1



BS MOVE-03_2448T1



BS MOVE-03_243227



BS MOVE-03_244827




BS MOVE-04_24B3C2




BS MOVE-04_24B329

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-04_24E2D1



BS MOVE-04_24E227



BS MOVE-04_24F727



BS MOVE-04_24N2T1



BS MOVE-04_24N8T1



BS MOVE-04_24N827



BS MOVE-04_24N829



BS MOVE-04_24N867




BS MOVE-04_24Q6C2



BS MOVE-04_2432D1

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-04_2448D1



BS MOVE-04_2448T1



BS MOVE-04_243227




BS MOVE-04_244827




BS MOVE-05_24B3C2




BS MOVE-05_24B329




BS MOVE-05_24E2D1



BS MOVE-05_24E227




BS MOVE-05_24F727



BS MOVE-05_24N2T1

All our designs are registered and protected against unauthorized copying.

BS.MOVE




BS MOVE-05_24N8T1




BS MOVE-05_24N827




BS MOVE-05_24N829




BS MOVE-05_24N867




BS MOVE-05_24Q6C2




BS MOVE-05_2432D1




BS MOVE-05_2448D1



BS MOVE-05_2448T1



BS MOVE-05_243227




BS MOVE-05_244827

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-06_24B3C2




BS MOVE-06_24B329



BS MOVE-06_24E2D1



BS MOVE-06_24E227



BS MOVE-06_24F727




BS MOVE-06_24N2T1



BS MOVE-06_24N8T1



BS MOVE-06_24N827



BS MOVE-06_24N829



BS MOVE-06_24N867

All our designs are registered and protected against unauthorized copying.

BS.MOVE



BS MOVE-06_24Q6C2



BS MOVE-06_2432D1



BS MOVE-06_2448D1



BS MOVE-06_2448T1



BS MOVE-06_243227



BS MOVE-06_244827

All our designs are registered and protected against unauthorized copying.

GENERAL FABRIC INFORMATION					
Quality Name	BS.MOVE-A	Design Name	BS.MOVE 01		
End-Use		Width (±2cm)	140 cm (55")	Weight	484 gr/mt²
Composition	%100 PES	Specials			

PHYSICAL TESTS			
Test	**Standarts**	**Results**	
Abrasion End	EN ISO 12947-2	100000	
Wyzenbeek	ASTM D4157		
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2		
Brush Pilling	D3511-99A	4	
Test	**Standarts**	**Warp**	**Weft**
Seam Slippage	EN ISO 13936-2	2.5	2.8
Tear Strength	EN ISO 13937-3	151	74
Tensile Strength	EN ISO 13934-1	1659	1219
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5

FLAMMABILITY TESTS		
Test	**Standarts**	**Results**
Annex 6 Horizontal Burning	ECE R.118 03	PASS
Annex 7 Melting	ECE R.118 03	PASS
Annex 8 Vertical Burning	ECE R.118 03	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	**Standarts**	**Results**
Bleach Cleanable Test	AATCC 101-ACT TM1 With Extra Process	PASS

CARE CODES			
Washable	Do not wash	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		